CINOS.net

Archived resources

For further resources and
documentation please visit us:
www.cinos.net

TransForm XDS-100

Universal collaboration box for any single-channel display

The TransForm XDS-100 is a multi-windowing video processor for collaboration on large single- channel displays. It enables you to display up to four hard-wired sources simultaneously on any type of full HD or WUXGA display canvas - not just Barco systems. In addition, the TransForm XDS-100 can combine local, in-room sources with streamed, remote PC desktops and workstations at the same time.

Making collaboration easy In combination with Barco's XDS Control Center software suite, you can enjoy mouse and keyboard control of all sources in a familiar Windows desktop environment. The TransForm XDS-100 was designed to make collaborative team work easier, faster and more efficient. By seeing several sources at the same time, you can quickly see correlations between data, and process various types of information faster. It enables you to connect to and control remote computers on the display, features easy-to-use videoconferencing control, and allows other users to create and store predefined screen layouts. **Easy integration with third party visualization**

The XDS Control Center software allows for seamless integration of the TransForm XDS-100 with selected 3rd party equipments, such as audio mixers, video conference equipment, matrix switchers, and control panels. Integrators can more easily create rich collaboration environments, without the need for much programming.

BARCO

TransForm XDS-100

Universal collaboration box for any single-channel display

At home in all environments

· Meeting rooms: exchange and compare various data on a large screen
· Collaboration corners: work together on the same project on a flat panel
· Auditoriums: distance learning and quick presentation switching
· Boardrooms: razor-sharp videoconferencing and real-time data exchange

Barco's TransForm XDS-100 is part of the XDS range and works with

XDS Control Center.

Generated on: 05 May 2014
Technical specifications are subject to change without prior notice.
Please check www.barco.com for the latest information.

BARCO

Visibly yours

For further resources and
documentation please visit us:

www.cinos.net