



# Archived resources

For further resources and  
documentation please visit us:  
**[www.cinos.net](http://www.cinos.net)**



## VP-425

### Computer Graphics Video & HDTV to HDMI ProScale™ Digital Scaler



Compatible with HDTV component video signals when used with a breakout cable such as the Kramer C-GM/3RVF.



The VP-425 is a high-performance digital scaler for computer graphics video and component HDTV signals. It up- or down-scales the input and embeds the stereo audio into the non-HDCP encrypted HDMI output.

## FEATURES


- HDTV Compatible.
- Max. Resolution - WUXGA & 1080p.
- Built-in ProcAmp - Color, sharpness, brightness, contrast, etc.
- Controls - Front panel with On-Screen Display (OSD).
- USB Port - For firmware upgrade.
- Compact MegaTOOLS™ - 2 units can be rack mounted side-by-side in a 1U rack space with the optional RK-T2B universal rack adapter.



## VP-425

### TECHNICAL SPECIFICATIONS

INPUTS:	1 VGA on a 15-pin HD connector, RGBHV/YPbPr (selectable); 1 unbalanced stereo audio on RCA connectors.
OUTPUT:	1 DVI/HDMI on an HDMI connector.
INPUT RESOLUTIONS:	PC: VGA, SVGA, XGA, 1280x800, UXGA, SXGA, WXGA, SXGA+, WXGA+, WSXGA, WUXGA; HDTV: 480p, 576p, 720p @50/60Hz, 1080p @50/60Hz, 1080i @50/60Hz.
PROCESSING DELAY:	30ms approx.
CONTROLS:	Front panel buttons, ON and component output LEDs.
POWER CONSUMPTION:	5V DC, 400mA.
DIMENSIONS:	18.8cm x 11.4cm x 2.5cm (7.4" x 4.5" x 0.98") W, D, H.
WEIGHT:	0.66kg (1.45lbs) approx.
INCLUDED ACCESSORIES:	Power supply.
OPTIONS:	RK-T2B 19" rack adapter.



For further resources and  
documentation please visit us:  
**[www.cinos.net](http://www.cinos.net)**